

- IDEALFUEL -

Lignin as a feedstock for renewable marine fuels

GRANT AGREEMENT No. 883753

HORIZON 2020 PROGRAMME - TOPIC LC-SC3-RES-23-2019

“Development of next generation biofuel and alternative renewable fuel technologies for aviation and shipping”



Deliverable Report

D2.1 – Report on the setup of the production line and the optimisation of the process for the production of oligomers



This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 883753

Deliverable No.	IDEALFUEL D2.1	
Related WP	WP2	
Deliverable Title	Report on the setup of the production line and the optimisation of the process for the production of oligomers	
Deliverable Date	31-12-2020	
Deliverable Type	Report	
Dissemination level	Confidential – consortium members only (CO)	
Written By	Florent Héroguel (BLOOM)	04-12-2020
Checked by	Panos Kouris (VERT)	09-12-2020
Reviewed by	Roy Hermanns (TUE)	16-12-2020
Approved by	Roy Hermanns (TUE)	16-12-2020
Status	Final	16-12-2020

Disclaimer/ Acknowledgment



Copyright ©, all rights reserved. This document or any part thereof may not be made public or disclosed, copied or otherwise reproduced or used in any form or by any means, without prior permission in writing from the IDEALFUEL Consortium. Neither the IDEALFUEL Consortium nor any of its members, their officers, employees or agents shall be liable or responsible, in negligence or otherwise, for any loss, damage or expense whatever sustained by any person as a result of the use, in any manner or form, of any knowledge, information or data contained in this document, or due to any inaccuracy, omission or error therein contained.

All Intellectual Property Rights, know-how and information provided by and/or arising from this document, such as designs, documentation, as well as preparatory material in that regard, is and shall remain the exclusive property of the IDEALFUEL Consortium and any of its members or its licensors. Nothing contained in this document shall give, or shall be construed as giving, any right, title, ownership, interest, license or any other right in or to any IP, know-how and information.

This project has received funding from the European Union's Horizon 2020 research and innovation programme under grant agreement No 883753. The information and views set out in this publication does not necessarily reflect the official opinion of the European Commission. Neither the European Union institutions and bodies nor any person acting on their behalf, may be held responsible for the use which may be made of the information contained therein.

Publishable summary

The EU H2020 project IDEALFUEL aims to develop an efficient and low-cost chemical pathway to convert lignocellulosic biomass into a Biogenic Heavy Fuel Oil (Bio-HFO) - with ultra-low sulphur levels - that can be used as drop-in fuel in the existing maritime fleet. While technical lignins are cheap and available in large quantities, their characteristics are not suitable for the development of high-performance marine fuels. Among others, these lignins suffer from low solubilities, large molecular weight, high sulfur content and are generally non-uniform in their chemical nature. One strategy consists in solvent fractionation of technical lignins to extract a high-quality fraction, which can be more suitable for fuels applications. A second strategy consists in the production of high-quality lignin from biomass with alternative bio-refining process. Within IDEALFUEL, the partners selected solvolysis and Aldehyde-Assisted Fractionation (AAF) as the most relevant technologies for the production of high-performance lignin for fuels applications.

The AAF biomass pretreatment technology has been recently disclosed by the Laboratory of Sustainable and Catalytic Processing (LPDC) at EPFL and is currently brought to the market by Bloom Biorenewables Ltd (BLOOM), an IDEALFUEL partner. In this report, a detailed description of the setup of the production line and the optimization of the process for the production of oligomers is described.

First, BLOOM has performed AAF of beechwood at the 15 liters scale to produce stabilized lignin in the 200g-scale. The parameters, including selection of reagents and reaction conditions, have been optimized to prevent undesired degradation pathways and yield uncondensed lignin. Lignin has been isolated as a solid by precipitation and characterized by HSQC NMR which revealed a low degree of condensation (high β -O-4 content). In a second step, AAF lignin depolymerization by hydrogenolysis under pressure at the 1 liter scale has been performed to produce lignin oligomers and monomers. Pure, sugar-free lignin oligomers have been isolated by precipitation, sent to the partners and will be characterized in detail within the project.